



PRODUCT DATA SHEET

OMEGA FROZEN Adhesive Paste

OMEGA FROZEN Adhesive Paste is used to join seams of EPDM, AIRSTOP vapour retarders, OMEGA Roof Underlay and Facade Lining and ISOWINDOW Window Tapes. It bonds with most substrates customary in construction, such as wood, metal, stone, concrete, brick, plaster and bituminous surfaces. The adhesive is permanently elastic, watertight and meets the requirements for air and wind tightness of a building envelope according to current standards such as DIN 4108-7.

ADVANTAGES

- very good adhesion to a number of substrates
- usable even at low temperatures
- resistant to freezing
- permanently elastic adhesive joint
- waterproof
- temperature-resistant from -40 °C to +80 °C

AVAILABLE IN THE FOLLOWING DIMENSIONS

Packing unit	Foil pack	Cartridge
Colour	black	black
Content	600 ml	310 ml
Carton	12 Stk	12 Stk

PRODUCT DATA

Material composition	Adhesive on polyurethane prepolymer basis with low solvent content
Density	1,2 g/cm ³
Working temperature	-10 °C
Skimming time	5 min
Storage	12 months unopened, at +5° - +30° C, protected from direct sunlight

OMEGA FROZEN Adhesive Paste

INFO

OMEGA FROZEN Adhesive Paste is applied using a manual injector to one side of the surface, which must be free from dust, grease, oil and loose parts. Soiled surfaces can be cleaned with spirit. Damp or wet surfaces must be dried before adhesion. We recommend an adhesion test before application.

OMEGA FROZEN Adhesive Paste has the function of a seal, not of a permanent join. Vapour barriers and other membranes must always be secured using tacks, battens etc. (mechanically).

OMEGA FROZEN Adhesive Paste is not UV-resistant and must be protected from direct sunlight.

Attention: avoid contact with PS-foams such as EPS, XPS, etc.



ISOCELL GmbH & Co KG

Gewerbstraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108
office@isocell.at

ISOCELL FRANCE

170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPAVAS | France
Tél.: +33 2 98 42 11 00
contact@isocell-france.fr

ISOCELL Sverige AB

Torshamnsgatan 35
164 40 KISTA | Sverige
Tel.: +46 10 130 25 00
info@isocell.se

ISOCELL SCHWEIZ AG

Herbergstrasse 29
9524 ZUZWIL | Suisse /Schweiz
Tel.: +41 71 940 06 72
office@isocell.ch

ISOCELL BUREEL BELGIË

Außenborner Weg 1 | Schoppen
4770 AMEL | Belgique
Tel.: +32 80 39 90 58
office@isocell.be

ISOCELL
www.isocell.com