



OMEGA AB Alu Tape

To ensure the air and wind-tightness of a building's shell the membranes or sheeting materials used must be permanently sealed at overlaps, gaps, joins and penetrations areas.


OMEGA AB Alu Tape has a tear-resistant backing of aluminium/polyester composite membrane coated with bitumen adhesive with excellent bonding properties which is also age-resistant and UV-resistant.

FIELD OF APPLICATION

- used as repair tape in the roof area
- a seal and repair for gaps, guttering, flashing at eaves and valleys as well as ventilation and drainage pipes and connections
- for doorstep joints outdoors

ADVANTAGES

- strong adhesion
- Backing strips
- UV-resistant



AVAILABLE IN THE FOLLOWING DIMENSIONS

Roll width	50 mm	100 mm	150 mm	200 mm	300 mm
Roll length	10 m	10 m	10 m	10 m	10 m
Rolls/carton	12	6	4	3	2
Backing strips	-	50/50	75/75	100/100	150/150

PRODUCT DATA

Composition	ALU/ PETP composite/ elastomer bitumen
Thickness	1,5 mm
Working temperature	- 5 °C - + 40 °C
Resistance to temperature	- 40 °C - + 100 °C
UV-resistance	durable
Colour	silver/black
Storage	cool and dry


PROCESSING GUIDELINE

OMEGA AB Alu Tape

Materials used must be free from dust and grease and the substrates must be dry and firm. OMEGA AB Alu Tape functions neither as a seal nor as a tight bond. Optimum adhesion to the substrate is achieved in combination with BUBI LF Adhesive Primer or with UNI primer.

Butyl and bitumen tapes have a high inherent weight.

The tape must be mechanically secured in case of installation in projecting areas e.g. ceilings, cantilevers and soffit areas, where gravity acts directly on the tape.



ISOCELL GmbH
Gewerbestraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108 | Fax: +43 6216 7979
office@isocell.at

ISOCELL SCHWEIZ AG
Herbergstrasse 29
9524 ZUZWIL | Suisse /Schweiz
Tel.: +41 71 544 47 20
office@isocell.ch

ISOCELL FRANCE
170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPAVAS | France
Tél.: +33 2 98 42 11 00 | Fax: +33 2 98 42 11 99
contact@isocell-france.fr

ISOCELL BUREEL BELGIË
Außenborner Weg 1 | Schoppen
4770 AMEL | Belgique
Tel.: +32 80 39 90 58 | Fax: +32 80 39 97 68
office@isocell.be

ISOCELL Sverige AB
Gamla Stallet | Stora Väsby
194 37 UPPLANDS VÄSBY | Sverige
Tel.: +46 10 130 25 01
office@isocell.se

ISOCELL
www.isocell.com