

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

UFI: E3AY-1P9N-Y80Y-KWQS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OMEGA N55 Adhesive

Product code : OMEGA N55 Adhesive

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Adhesive

Recommended restrictions
on use : For industrial use only.

1.3 Details of the supplier of the safety data sheet

Company : ISOCELL GmbH und Co KG

Address : Gewerbestraße 9
5202 Neumarkt am Wallersee
T: +43 (0) 6216/4108-0/ F: +43 (0) 6216/7979

E-mail address of person
responsible for the SDS : office@isocell.at

1.4 Emergency telephone number

A: Vergiftungsinformationszentrale der Gesundheit Österreich GmbH, Wien
NOTRUF Tel.: 01 406 43 43 (von außerhalb Österreichs Tel.: +43 1 406 4343)

Emergency telephone number : +44 1235 239 670 (24 hours)

National Poisons Information Centre (NPIC): 01 809 2566 (24 hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, Category 3, Central nervous system H336: May cause drowsiness or dizziness.


SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

Version Revision date: SDS Number: Date of last issue: -
1.2 14.05.2022 100000019844 Date of first issue: 14.05.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

ethyl acetate
butanone
acetone

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. | Classification | Concentration |
|---------------|---------|----------------|---------------|
|---------------|---------|----------------|---------------|

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

Version Revision date: SDS Number: Date of last issue: -
1.2 14.05.2022 100000019844 Date of first issue: 14.05.2022

| | EC-No. Index-No. Registration number | | (% w/w) |
|---------------|--|---|--------------|
| ethyl acetate | 141-78-6 205-500-4 607-022-00-5 01-2119475103-46-0000 | Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066 | >= 20 - < 30 |
| butanone | 78-93-3 201-159-0 606-002-00-3 01-2119457290-43-0000 | Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066 | >= 20 - < 30 |
| acetone | 67-64-1 200-662-2 606-001-00-8 01-2119471330-49-0000 | Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066 | >= 10 - < 20 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : If on clothes, remove clothes.
Move the victim to fresh air.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may even occur after several hours;
therefore medical observation for at least 48 hours after the
accident.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get
medical attention.
In case of unconsciousness bring patient into stable side posi-
tion for transport.
- In case of skin contact : Wash off immediately with soap and plenty of water while
removing all contaminated clothes and shoes.
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-
tion if eye irritation develops or persists.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

If swallowed : If accidentally swallowed obtain immediate medical attention.
Rinse mouth with water.
If conscious, drink plenty of water.
Do NOT induce vomiting.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water mist
Foam
Dry powder
Carbon dioxide (CO₂)

Unsuitable extinguishing media : Water with a full water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No further relevant information available.

5.3 Advice for firefighters

Special protective equipment for firefighters : No special protective measures against fire required.

Further information : In the event of fire, wear self-contained breathing apparatus.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

Use personal protective equipment.
Use breathing protection against the effects of fumes/dust/aerosol.
Evacuate personnel to safe areas.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
Prevent the material from reaching sewage system, holes and cellars.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Non-sparking tools should be used.
Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.
Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of dust and aerosols.
Use only with adequate ventilation.
Take note of emission threshold.
Use solvent-proof equipment.
Ensure that suitable extractors are available on processing machines.
Handle with care.
Keep eye wash bottle available on working place.
Avoid release to the environment.
Keep away from children.

Advice on protection against fire and explosion : Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mixtures in air. Highly volatile, flammable constituents are released during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

Version Revision date: SDS Number: Date of last issue: -
1.2 14.05.2022 100000019844 Date of first issue: 14.05.2022

fire extinguishing equipment ready in case of nearby fire.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep dark, cool and dry. Store in cool place.

Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a cool place. Heat will increase pressure and may lead to the container exploding.

7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | |
|---|----------|---------------------------------|------------------------------------|-------------|--|
| ethyl acetate | 141-78-6 | OELV - 8 hrs (TWA) | 200 ppm 734 mg/m ³ | IE OEL | |
| | | OELV - 15 min (STEL) | 400 ppm 1.468 mg/m ³ | IE OEL | |
| | | STEL | 400 ppm 1.468 mg/m ³ | 2017/164/EU | |
| Further information: Indicative | | | | | |
| | | TWA | 200 ppm 734 mg/m ³ | 2017/164/EU | |
| Further information: Indicative | | | | | |
| butanone | 78-93-3 | STEL | 300 ppm 900 mg/m ³ | 2000/39/EC | |
| | | Further information: Indicative | | | |
| | | TWA | 200 ppm 600 mg/m ³ | 2000/39/EC | |
| Further information: Indicative | | | | | |
| | | OELV - 8 hrs (TWA) | 200 ppm 600 mg/m ³ | IE OEL | |
| Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body | | | | | |
| | | OELV - 15 min (STEL) | 300 ppm 900 mg/m ³ | IE OEL | |
| Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body | | | | | |
| acetone | 67-64-1 | TWA | 500 ppm | 2000/39/EC | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

Version Revision date: SDS Number: Date of last issue: -
 1.2 14.05.2022 100000019844 Date of first issue: 14.05.2022

| | | | | |
|---------------------------------|--|-----------------------|------------------------|--------|
| | | | 1.210 mg/m3 | |
| Further information: Indicative | | | | |
| | | OELV - 8 hrs (TWA) | 500 ppm 1.210 mg/m3 | IE OEL |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------|---------|-----------------|----------------------------|------------|
| ethyl acetate | Workers | Inhalation | Acute systemic effects | 1468 mg/m3 |
| | Workers | Inhalation | Acute local effects | 1468 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 734 mg/m3 |
| butanone | Workers | Dermal | Long-term systemic effects | 1161 mg/kg |
| | Workers | Inhalation | Long-term systemic effects | 600 mg/kg |
| acetone | Workers | Dermal | Long-term systemic effects | 186 mg/kg |
| | Workers | Inhalation | Acute local effects | 2420 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 1210 mg/m3 |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|----------------|---------------------------|-------------|
| ethyl acetate | Fresh water | 0,26 mg/l |
| | Intermittent use/release | 1,65 mg/l |
| | Marine water | 0,026 mg/l |
| | Fresh water sediment | 1,25 mg/kg |
| | Marine sediment | 0,125 mg/kg |
| | Soil | 0,24 mg/kg |
| | Sewage treatment plant | 650 mg/l |
| acetone | Marine water | 1,06 mg/l |
| | Fresh water | 10,6 mg/l |
| | Fresh water sediment | 30,4 mg/l |
| | Marine sediment | 3,04 mg/l |
| | Soil | 0,112 mg/l |
| | Sewage treatment plant | 29,5 mg/l |

8.2 Exposure controls**Engineering measures**

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

Remarks : The glove material has to be impermeable and resistant to the product/the substance/the preparation.
The exact break through time can be obtained from the protective glove producer and this has to be observed.
The gloves need to be disposed after the penetration time and replaced by new ones.
Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Skin and body protection : Protective clothing

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Ensure that suitable extractors are available on processing machines.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

Protective measures : Keep away from food, drink and animal feedingstuffs.
Instantly remove any soiled and impregnated garments.
Wash hands before breaks and immediately after handling the product.
Avoid contact with the eyes and skin.
Store protective clothing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|------------------------------------|
| Physical state | : liquid |
| Colour | : yellow |
| Odour | : solvent-like |
| Odour Threshold | : is not determined |
| Melting point/freezing point | : is not determined |
| Flash point | : -19 °C |
| Auto-ignition temperature | : is not determined |
| Decomposition temperature | : not applicable |
| pH | : is not determined |
| Viscosity | |
| Viscosity, dynamic | : 2.800 - 3.200 mPa.s (20 °C) |
| Solubility(ies) | |
| Water solubility | : not miscible or difficult to mix |
| Partition coefficient: n-octanol/water | : no data available |
| Density | : 0,91 g/cm ³ (20 °C) |
| Relative vapour density | : is not determined |

9.2 Other information

| | |
|------------------|--|
| Explosives | : Product is not explosive. However, formation of explosive vapour/air mixtures is possible. |
| Evaporation rate | : is not determined |

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions : Develops readily flammable vapours/fumes.

10.4 Conditions to avoid

Conditions to avoid : No further relevant information available.

10.5 Incompatible materials

Materials to avoid : No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Based on available data, the classification criteria are not met.

Acute dermal toxicity : Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system., Very toxic to aquatic organisms, Toxic effects on fish and plankton, Danger to drinking water if even extremely small quantities leak into soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
Hand over to disposers of hazardous waste.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

The generation of waste should be avoided or minimized wherever possible.
Incinerate under controlled conditions in accordance with all local and national laws and regulations.
Disposal must be made according to official regulations.

These EU waste code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under section 3 of this safety datasheet is itself classified as dangerous (*).

Waste accruing during application:

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Waste accruing during cleaning:

08 04 11* adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11

Waste packaging:

15 01 01 paper and cardboard packaging
15 01 02 plastic packaging
15 01 04 metallic packaging
15 01 10* packaging containing residues of or contaminated by dangerous substances.

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1133

RID : UN 1133

IMDG : UN 1133

IATA : UN 1133

14.2 UN proper shipping name

ADR : ADHESIVES

RID : ADHESIVES

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : not applicable

RoHS: 2011/65/EU, Restriction of Hazardous Substances : not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : not applicable

REACH - List of substances subject to authorisation (Annex XIV) : not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf : acetone (ANNEX II)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

Volatile organic compounds :

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 73 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

AIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

REACH : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.2 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

SECTION 16: Other information

Full text of H-Statements

| | |
|--------|---|
| H225 | : Highly flammable liquid and vapour. |
| H319 | : Causes serious eye irritation. |
| H336 | : May cause drowsiness or dizziness. |
| EUH066 | : Repeated exposure may cause skin dryness or cracking. |

Full text of other abbreviations

| | |
|-------------------------------|--|
| Eye Irrit. | : Eye irritation |
| Flam. Liq. | : Flammable liquids |
| STOT SE | : Specific target organ toxicity - single exposure |
| 2000/39/EC | : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |
| 2017/164/EU | : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values |
| IE OEL | : Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1 |
| 2000/39/EC / TWA | : Limit Value - eight hours |
| 2000/39/EC / STEL | : Short term exposure limit |
| 2017/164/EU / STEL | : Short term exposure limit |
| 2017/164/EU / TWA | : Limit Value - eight hours |
| IE OEL / OELV - 8 hrs (TWA) | : Occupational exposure limit value (8-hour reference period) |
| IE OEL / OELV - 15 min (STEL) | : Occupational exposure limit value (15-minute reference period) |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

OMEGA N55 Adhesive

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision date: | SDS Number: | Date of last issue: - |
| 1.0 | 14.05.2022 | 100000019844 | Date of first issue: 14.05.2022 |

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department
EU-MSDS@hbfuller.com

Classification of the mixture:

| | |
|--------------|------|
| Flam. Liq. 2 | H225 |
| Eye Irrit. 2 | H319 |
| STOT SE 3 | H336 |

Classification procedure:

| |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method |
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN